

# PEARLESSENCE

## PROPERTIES

### DESCRIPTION

Italian natural grain, semi-aniline leather.

### AVERAGE HIDE SIZE

55.00 sq ft

### THICKNESS

1.1 mm +/-0.1 mm

### ATTRIBUTES

Light pearl finish. Flame resistant.  
UV protected. Water and stain repellent  
dyed into the leather.

### WEIGHT

2.75 oz +/-0.25 oz per sq ft

### GRAIN CHARACTERISTICS

Smooth

### FINISH CHARACTERISTICS

Pearl

### NON-TOXIC COMPOSITION

Our leathers are not made with nor contain  
conflict minerals, POPs, PVC, BPA, PBDEs,  
plasticizers, heavy metals, or phthalates.

**Declare.**



## TEST PERFORMANCE

### ANTIBACTERIAL

AATCC 100

Assessment of Antibacterial Finishes  
on Textile Materials (Quantitative):  
Meets Requirements

AATCC 147

Assessment of Antibacterial Activity  
of Textile Materials (Qualitative):  
Meets Requirements

### ENVIRONMENTAL

GREENGUARD Gold

Indoor Air Quality:  
Certified

### LIGHTFASTNESS

AATCC 16.3 Opt 3

Colorfastness to Light:  
Class 4.5 at 72 hours

### FLAMMABILITY

California Technical Bulletin

117 2013 Section Flammability Test:

Certified

FAR 25.853 (a) Am. 25-116, App. F,  
Part I (a)(1)(ii) Federal Aviation

Regulation for Flammability Resistance:  
Passes with flame treatment

MVSS 302

Federal Motor Vehicle Safety Standards  
Flammability of Interior Materials  
Certified

IMO Part 8: Upholstered Furniture

International Marine Organization

3.1 Cigarette Ignition

Passed

NFPA 260

National Fire Protection Association

Cigarette Ignition Resistance:

Certified

BS 5852:2006:Source 5

British Standard Flammability Test:  
Certified

*Pearlescence may be used in California  
TB 133 applications with suitable fire  
backers.*

**DURABILITY** Excellent. Recommended for all upholstery applications, especially high traffic areas.



PRODUCT CERTIFIED  
FOR LOW CHEMICAL  
EMISSIONS:  
UL.COM/IGG  
UL 2818



LeatherShield™



Antibacterial



FiberDye®

**GARRETT**

LEATHER

800.342.7738  
garrettleather.com